PRODUCT SERIES NAME: A0800 SERIES PAGE: 1/4

#### 1.SCOPE:

This specification covers the requirements for product performance of 0.80mm pitch wire to board connector series.

## 2.CONSTRUCTION · DIMENSIONS · MATERIAL & PLATING:

See the attached drawings

#### **3.RATINGS & APPLICABLE WIRES:**

Item			
Rated Voltage (max.)	30V AC, DC		Insulation O.D.
Rated Current (max.) and Applicable Wires	AWG #32	0.5A AC, DC	0.38mm (max.)
Ambient Temperature Range	-25°C ~ +85°C*		

<sup>\*:</sup> Including terminal temperature rise

#### **4.PERFORMANCE:**

### **4-1.ELECTRICAL PERFORMANCE**

Test Description		Procedure	Requirement	
4-1-1	Contact	Mate connectors, measure by dry circuit, 20mV max.	$20 \mathrm{m}\Omega$ max.	
	Resistance	10mA. (Based upon JIS C5402 5.4)		
4-1-2	Insulation	Mate connectors, apply 500V DC between adjacent		
	Resistance	terminal or ground. (Based upon JIS C5402 5.2/	$100 \mathrm{M}\Omega$ min.	
		MIL-STD-202 Method 302 Cond. B)		
4-1-3	Dielectric	Mate connectors, apply 200V AC (rms) for 1 minute		
Withstanding		between adjacent terminal or ground. (Based upon	No Breakdown	
Voltage		JIS C5402 5.1/MIL-STD-202 Method 301)		
4-1-4	Contact	I.D.T. the applicable wire on to the terminal, measure		
	Resistance	by dry circuit, 20mV max., 10mA.	$10 \mathrm{m}\Omega$ max.	
	on I.D.T.		1011122 111ax.	
	Portion			

			APPROVED	CHECKED	WRITTEN
			BY	BY	BY
A2	REVISE	2009.05.25		李强	周新宇
A1	REVISE	2007.06.26	唐飞		
A0	NEW RELEASE	2006.07.11			
REV.	DESCRIPTION	DATE	DOCUMENT NO: PS-0800-001		

PRODUCT SERIES NAME: A0800 SERIES PAGE: 2/4

## **4-2.MECHANICAL PERFORMANCE**

Test Description		Procedure		Requirement	
4-2-1		Insert and withdraw connectors at the speed rate of $25 \pm 3$ mm/minute.			Refer to paragraph 5
4-2-2	I.D.T. Pull Out	Fix the I.D.T. terminal, apply axial pull out force on the wire at the speed	AWG #32	0.6kgf min.	
	Force	rate of $25 \pm 3$ mm/minute. Vertical direction (Based upon JIS C5402 direction 6.8)		AWG #32	0.3kgf min.
4-2-3	Pin Retention Force	Apply axial push force at the speed rate of $25 \pm 3$ mm/minute.			0.3kgf min.
4-2-4	Durability	When mated up to 50 cycles repeatedly Contact by the rate of 10 cycles per minute. Resistance			40mΩ max.
	Amplitude: 1.5mm P-P Sweep time: 10-55-10 Hz in 1 minute			Appearance	No Damage
4-2-5	Vibration 1	Duration: 2 hours in ea X.Y.Z. axes	ch	Contact Resistance	40mΩ max.
		(Based upon MIL-STD-20 Method 201A)	)2	Discontinuity	lμsec. max.
	490m/s² {50G}, 3 strokes in each X.Y.Z. axes.			Appearance	No Damage
4-2-6	Physical Shock	(Based upon JIS C0041/MIL-STD-202 Method 213B Cond. A)		Contact Resistance	$40 \mathrm{m}\Omega$ max.
		Discontinuity			lμsec. max.

PRODUCT SERIES NAME: A0800 SERIES PAGE: 3/4

## 4-3.ENVIRONMENTAL PERFORMANCE AND OTHERS


Test Description		Procedure		Requirement
4-3-1	Temperature Rise	Carrying rated current load. (Based upon UL 498)	Temperature Rise	30°C max.
4-3-2	Heat	$85 \pm 2$ °C, 96 hours Appearar		No Damage
	Resistance	(Based upon JIS C0021/MIL-STD-202	Contact	40mO may
		Method 108A Cond. A)	Resistance	$40\mathrm{m}\Omega$ max.
4-3-3	Cold	$-25 \pm 3$ °C, 96 hours	Appearance	No Damage
	Resistance	(Based upon JIS C0020)	Contact	$40 \mathrm{m}\Omega$ max.
			Resistance	40111S2 111ax.
		Temperature: $40 \pm 2$ °C	Appearance	No Damage
		Relative Humidity: 90 ~ 95%	Contact	$40 \mathrm{m}\Omega$ max.
		Duration: 96 hours	Resistance	4011IS2 111ax.
4-3-4	Humidity	(Based upon JIS C0022/MIL-STD-202	Insulation	$10 \mathrm{M}\Omega$ min.
		Method 103B Cond. B)	Resistance	1014122 111111.
			Dielectric	
			Withstanding	Must meet 4-1-3
			Voltage	
		5 cycles of:	Appearance	No Damage
4-3-5	Temperature	a) - 55°C 30 minutes	rppearance	140 Damage
	Cycling	b) +85°C 30 minutes	Contact	$40\mathrm{m}\Omega$ max.
		(Based upon JIS C0025)	Resistance	TOTAL THAT.
		$24 \pm 4$ hours exposure to a salt spray	Appearance	No Damage
4-3-6	Salt Spray	from the $5 \pm 1\%$ solution at $35 \pm 2$ °C.		Tio Burnage
		(Based upon JIS C0023/MIL-STD-202		$40 \mathrm{m}\Omega$ max.
		Method 101D Cond. C)	Resistance	
		24 hours exposure to $50 \pm 5$ ppm.	Appearance	No Damage
4-3-7	SO <sub>2</sub> Gas	$SO_2$ gas at $40 \pm 2$ °C.	Contact	$40 \mathrm{m}\Omega$ max.
			Resistance	
		40 minutes exposure to NH <sub>3</sub> gas	Appearance	No Damage
4-3-8	NH <sub>3</sub> Gas	evaporating from 28% Ammonia	Contact	$40 \mathrm{m}\Omega$ max.
		solution.	Resistance	
	a 11	Soldering Time: $5 \pm 0.5$ sec.	Solder	95% of immersed
4-3-9	Solderability	Solder Temperature: $245 \pm 5$ °C	Wetting	area must show no
		M. 0 .		voids, pin holes
		When reflowing		
4-3-10		Refer to paragraph 6		
	to Soldering		Appearance	No Damage
	Heat	Solder iron method	rr - 32-41-50	
		Soldering Time: $5 \pm 0.5$ sec.		
		Solder Temperature: 370°C ~ 400°C		

PRODUCT SERIES NAME: A0800 SERIES PAGE: 4/4

#### **5.INSERTION/WITHDRAWAL FORCE:**

No. of	Insertion	Withdrawal	No. of	Insertion	Withdrawal
circuits	(kgf max.)	(kgf min.)	circuits	(kgf max.)	(kgf min.)
2	0.50	0.10	12	1.50	0.30
3	0.60	0.12	14	1.70	0.34
4	0.70	0.14	15	1.80	0.36
5	0.80	0.16	16	1.90	0.38
6	0.90	0.18	17	2.00	0.40
7	1.00	0.20	20	2.30	0.46
8	1.10	0.22			
9	1.20	0.24			
10	1.30	0.26			

#### **6.INFRARED REFLOW CONDITION:**



# TEMPERATURE CONDITION GRAPH (TEMPERATURE ON BOARD PATTERN SIDE)

NOTE: Please check the mount condition(reflow soldering condition) by your own devices beforehand, because the condition changes by the soldering devices, p.c.boards, and so on. No moisture treatment before reflow process.